

NDI Go 4K HDMI NDI Decoder



Description

The NDI Go is a cost-effective, professional-grade NDI® to 4K HDMI decoder designed for 4K video production and display applications. The NDI Go supports decoding NDI High Bandwidth, NDI HX 2, NDI HX3. With a compact and lightweight design, and support for PoE, it is portable and easy to use. The NDI Go provides excellent video decoding performance and ultra-low latency, making it an ideal choice for on-site production, digital signage and video wall applications.

Key Benefits

Outstanding decoding performance to meet various NDI playback needs

- Supports standard decoding of NDI High Bandwidth, NDI HX2, and NDI HX3
- Maximum support for 4K Ultra HD 3840x2160p60 video output


Compact and lightweight, plug-and-play

- Ultra-compact (dimensions:100x100x25mm), easy to place with TVs/monitors
- 1 Gigabit Ethernet port with PoE power support
- Simple interfaces, stable performance, providing the simplest solution for your AV production and broadcasting

More functions

- Supports 3.5mm Line Out
- Supports PTZ control over IP, directly connect to your PTZ cameras with a network cable
- Supports audio intercom

Product Appearance



Technical Parameters

Model No.	NDI Go
Output Interface	1xHDMI 2.0 output, supports up to 3840x2160@60Hz
Decoding Capability	NDI High Bandwidth and NDI HX 2/3, supports up to 4Kp60 decoding
Indicator	Indicates status of working or decoding
USB Port	1x USB 3.0 (Type-A) for audio intercom
Network	1x1000Mbps with PoE support
Audio Output	3.5mm Line Out
Power Supply	DC 12V/2A
Operating Temperature	-20°C~ 60°C
Dimensions	100x100x25mm

NDI® is a
trademark of

registered
Vizrt NDI AB